

BELLINGEN SHIRE WATER RESTRICTIONS LEVELS

Level	Restrictions – Residential Outdoor Component	Target reduction %	Target Consumption (ML/d)*	Trigger*
Water Conservation Measures	<u>No</u> unattended hoses between the hours of 9.00am to 4.00pm	N/A	N/A	N/A
1 Moderate	Micro-sprays and drippers/sub-surface can be used for a maximum of 15 minutes and hand held hoses can be used for 1 hour every second day, between the hours of 4.00pm and 9.00am on odd or even days matching house numbering system. Other irrigation and unattended hoses banned.	0 - 10%	0.35	Bellinger 47ML/day Bielsdown 20ML/day Consumption greater than 5.5ML/day for 5 days.
2 High	Micro-sprays and drippers/sub-surface can be used for a maximum of 15 minutes and hand held hoses can be used for ½ hour every second day, between the hours of 4.00pm and 9.00am on odd or even days matching house numbering system. Other irrigation and unattended hoses banned. No washing of houses or driveways. Topping up of pools in designated times only.	10 - 20%	0.7	Bellinger 31ML/day
3 Very High	No irrigation permitted. Use of buckets any time, or hand held hoses for a maximum of 10 minutes, every second day, between the hours of 4.00pm and 9.00am on odd or even days matching house numbering system. No filling of pools.	20 - 30%	1.05	Bellinger 23ML/day
4 Severe	All external use of potable water banned. Grey water use only.	30 - 40%	1.4	Bellinger 5ML/day
Emergency	As directed by the water supply authority.	40 - 50%	1.75	Bellinger 2.5ML/day